


**INVESTIGATION OF PREHISTORIC ROCKSHELTER AND TERRACE SITES
ALONG PORTIONS OF THE SALADO CREEK DRAINAGE,
NORTHERN BEXAR COUNTY, TEXAS**



A. Joachim McGraw and Fred Valdez, Jr.

**Center for Archaeological Research
The University of Texas at San Antonio
Archaeological Survey Report, No. 55**

1978

**INVESTIGATIONS OF PREHISTORIC ROCKSHELTER AND TERRACE SITES
ALONG PORTIONS OF THE SALADO CREEK DRAINAGE,
NORTHERN BEXAR COUNTY, TEXAS**

A. Joachim McGraw and Fred Valdez, Jr.

**Center for Archaeological Research
The University of Texas at San Antonio
Archaeological Survey Report, No. 55**

1978

Photocopy Reprint

1982

This report is submitted in fulfillment of a contract between the Center for Archaeological Research, The University of Texas at San Antonio and the Soil Conservation Service, United States Department of Agriculture, Purchase Order 40-7442-7-1601, dated September 15, 1977.

TABLE OF CONTENTS

	Page
List of Figures	ii
List of Tables	iii
Acknowledgments	iv
Introduction	1
Previous Research	3
Chronology of Prehistoric Habitation	3
Environmental Setting	4
The Sites	8
Floodwater Retarding Structure 3	8
Floodwater Retarding Structure 6	14
Floodwater Retarding Structure 10	21
Floodwater Retarding Structure 15	28
Lithic Analysis	31
Cores and Lithic Debris	31
Unifacial and Bifacial Artifacts	34
Summary and Recommendations	35
References Cited	39

LIST OF FIGURES

Figure	Page
1. Map Showing the Locations of Floodwater Retarding Structures 3, 6, 10 and 15	2
2. Map of Tested Sites at Floodwater Retarding Structure 3	9
3. Map of Test Units at Site 3-1 (41 BX 442)	10
4. Map of Test Units at Site 3-3 (41 BX 444)	12
5. Map of Sites at Floodwater Retarding Structure 6.	15
6. Rockshelter 6-1A (41 BX 362).	16
7. Profile of North Wall of TP-1, Rockshelter 6-1A (41 BX 362)	18
8. Profile of South Wall Section of Trench B, Rockshelter 6-1A (41 BX 362).	19
9. Rockshelter 6-1B (41 BX 362).	20
10. Map of Test Units at Site 6-2 (41 BX 363)	22
11. Map of Archaeological Sites at Floodwater Retarding Structure 10 (41 BX 452).	23
12. Rockshelter Complex 10-3A (41 BX 452)	25
13. Map of Test Units at Rockshelter A-3, Complex 10-3A (41 BX 452)	26
14. View of Rockshelter B-2, Complex 10-3B, Looking North	27
15. Map of Floodwater Retarding Structure 15 and Archaeological Site 15-3 (41 BX 173).	29
16. Site 15-3 (41 BX 173)	30
17. Artifacts from Floodwater Retarding Structures 3 and 6.	32
18. Artifacts from Floodwater Retarding Structures 6, 10 and 15	33

LIST OF TABLES

Table	Page
1. Some Past and Present Flora of Bexar County	6
2. Some Past and Present Fauna of Bexar County	7
3. Provenience of Lithic Materials	13
4. Site Information Summaries.	38

ACKNOWLEDGMENTS

The writers of this report are indebted to all those whose cooperation made this report possible. Special thanks is extended to Mr. R. Sandy of the Canyon Creek Country Club for his friendly cooperation and to Mr. Jim Thompson of the San Antonio River Authority. Volunteer workers Kathy Gonzalez, Sampale Lindholm and Rebekah Halpern contributed greatly to the timely and professional accomplishment of the field work. The project was carried out under the general supervision of Dr. Thomas R. Hester (Director, Center for Archaeological Research, The University of Texas at San Antonio) and Mr. Jack D. Eaton (Assistant Director).

INTRODUCTION

During late fall and winter of 1977, personnel from the Center for Archaeological Research, The University of Texas at San Antonio (UTSA), conducted limited test excavations and controlled surface collections along portions of the Salado Creek drainage in northern Bexar County (Fig. 1). Four specific areas were examined, as they were soon to be inundated or critically altered by proposed floodwater retarding structures. The sites in these locations had previously been identified and recommended for further work by Hester *et al.* (1974). During field operations, the areas of Floodwater Retarding Structures 3, 6, 10 and 15 were investigated. A total of four terrace sites, two small rockshelters and two rockshelter complexes were tested. Of the shelters, one complex and one individual shelter, both previously unrecorded, were discovered in the immediate vicinity of the retarding structures during the course of testing operations. Testing was concentrated in the immediate vicinities of Mud Creek, Panther Springs Creek and portions of the main channel of Salado Creek.

Methodology involved throughout the testing period was based upon a systematic examination following the guidelines presented in *Field Methods in Archaeology* (Hester, Heizer and Graham 1975). The current study of the dam site areas was directed toward: (1) a preliminary assessment of the archaeological sites in terms of their content and importance; (2) the detailed recording of such information for further research; and (3) recommendations for any further investigations at the sites. Observations of material distributions were noted not only to define site boundaries but also to distinguish areas of particular site activity. Consideration was also given to the presence or absence of particular cultural materials as well as to horizontal and vertical distances from water sources. Except at dam site 15, controlled surface collection was rejected as inefficient in terms of both time and manpower.

All information has been recorded on standard excavation forms presently used by the Center for Archaeological Research, The University of Texas at San Antonio. Black and white 35 mm photographs and color slides were also taken of various sites and features. Artifacts collected were placed in plastic or paper bags and labeled as to tested area, level of excavation, date, type of collection and collector's name. All materials were collected and processed according to standard archaeological procedures, and the assessments presented in this study are based upon a preliminary examination of the recovered artifacts, photographs, excavation forms and field notes.

The project was conducted under contract between the Center for Archaeological Research, The University of Texas at San Antonio and the Soil Conservation Service, United States Department of Agriculture. All field work was done under the supervision of Dr. Thomas R. Hester, Director, and Mr. Jack D. Eaton, Assistant Director, Center for Archaeological Research. The field crew consisted of A. Joachim McGraw, Fred Valdez, Jr., Santiago Escobedo and Curtis McKinney, assisted by volunteers Rebekah Halpern, Kathy Gonzalez and Sampale Lindholm.

This page has been redacted because it contains restricted information.

PREVIOUS RESEARCH

The sites discovered during the course of the preliminary survey of Salado Creek in 1974 (Hester *et al.*), like many other sites identified in Bexar County in the last five years, are the direct result of an intensive program of contract archaeology by the Center for Archaeological Research, UTSA. The cumulative result of these efforts has been the identification and recording of over 450 archaeological sites in Bexar County, thereby making it one of the most archaeologically studied counties of Texas. Much of this work, however, is at a preliminary survey level with limited sustained research.

Salado Creek and its tributaries have been a major focus of expanding study in northern Bexar County. Brief discussions of its prehistoric significance are mentioned by Fawcett (1972), although his approach was that of area interrelationships rather than site specificity. Recent investigations by Hester *et al.* (1974), Smith and McDonald (1975), Brown *et al.* (1977), Fox (1977), McGraw, Valdez and Cox (1977), Jaquier *et al.* (1978), McGraw and Valdez (1977) and Gerstle, Kelly and Assad (1978) have shed new light on the complex archaeological patterns of the ancient drainage.

Sites of major archaeological significance in northern Bexar County along the Salado Creek drainage include 41 BX 22, the Rogers site; 41 BX 228, Walker Ranch; 41 BX 300, the Elm Waterhole Creek site; 41 BX 229, the St. Mary's Hall site; 41 BX 17, the Granberg site (Schuetz 1966); and 41 BX 271, the Granberg II site. These sites contain a variety of artifacts from the Paleo-Indian through the Historic Indian periods of south central Texas.

CHRONOLOGY OF PREHISTORIC HABITATION

Although current research has made major inroads into the complexities of the long-forgotten aboriginal cultures of south central Texas, the archaeology of the transition zone between the lower Gulf Coastal Plain and the Edwards Plateau region is still poorly defined. Refined archaeological techniques have broadened the horizon of prehistoric studies; in many cases, however, even the most current analyses are limited by the lack of a distinctive chronology and by an often inconsistent typological system of diagnostic artifact classification. Generally, four major time periods of aboriginal activities are reflected in sites within the immediate vicinity of the dam site study areas. These major time periods are briefly defined as the Paleo-Indian, the Archaic, the Late Prehistoric (or Neo-American) and the Historic. Temporally distinct, these periods are characterized by particular lithic industries, distinctive projectile point styles and a variety of other criteria presumably based on subsistence patterns and general adaptations to changing environmental and/or cultural conditions.

The earliest of these periods, the Paleo-Indian (ca. 9200-6000 B.C.), is represented in the vicinity of the study area at 41 BX 229, the St. Mary's Hall site, along the main channel of Salado Creek and within the city limits of San Antonio. Preliminary analyses suggest an extensive Paleo-Indian campsite reflected by *Folsom*, *Plainview*, *Golondrina* and *Angostura* projectile points (Hester 1978).

While it has been assumed the Archaic period (ca. 6000 B.C.-A.D. 1000) generally follows the Paleo-Indian period, there is increasing evidence in central and south Texas of a transitional phase following the Paleo-Indian period and preceding the presently defined "Early Archaic." Tentatively labeled the "Pre-Archaic," a series of sites, including Baker Cave, Stillhouse Hollow, La Jita and others, suggests major lithic characteristics from this period include large barbed points, notched and triangular dart points, and stemmed points termed *Gower* (Hester 1975).

The second major time period, the Archaic, covers a long temporal span. Diagnostic lithic materials throughout much of North America suggest a common subsistence pattern of seasonal migrations and hunting and gathering lifeways. Due to enviro-climatic changes at the end of the Pleistocene, emphasis on hunting shifted away from the "big game" animals of the Paleo-Indian period to smaller animals such as deer and modern species of bison. Commonly divided into Early, Middle and Late subperiods, the Archaic occupations throughout Texas are represented by an abundance of chipped stone artifacts, a wide variety of dart point types, lithic forms such as *Clear Fork* and *Guadalupe* tools, and large thin bifaces. The highest frequency of datable sites near the study area is linked to Middle and Late Archaic occupations (Hester *et al.* 1974; Sollberger and Hester 1972).

A significant cultural change in south central Texas occurs after A.D. 1000 with the beginning of the Late Prehistoric (Neo-American) period. The introduction of ceramics and the bow and arrow abruptly modified archaeological assemblages. Small arrow points of distinctive types, new lithic forms and bone-tempered ceramics made their appearance during these times.

The fourth period, the Historic, is represented during and after early European contacts by intrusive Plains Indians, such as the Lipan Apache and Comanche. They moved into the area in the 17th and 18th centuries after Spanish "missionization" and cultural breakdown of native groups.

The variety of archaeological sites found in northern Bexar County along the Salado Creek drainage includes occupation sites (campsites), burned rock middens, chert quarries and workshops, temporary campsites and rockshelters. (For additional descriptions of Bexar County sites, see Fawcett 1972.)

ENVIRONMENTAL SETTING

This report will present only a cursory review of the more important environmental factors affecting the past and present conditions of the study areas. The reader is referred to Scurlock and Hudson (1973), Fawcett (1972), Hudson, Lynn and Scurlock (1974), McGraw, Valdez and Cox (1977) and Gerstle, Kelly and Assad (1978) for more detailed discussions.

Bexar County is located in the transition zone between the southern limits of the Edwards Plateau Escarpment and the lower Gulf Coastal Plain. It is bounded on the north by Kendall, Comal and Guadalupe Counties, on the west by Bandera and Medina Counties, on the east by Wilson County, and on the south by

Atascosa County. Major drainages, all of which flow southward across the area, include the Medina and San Antonio Rivers. Secondary tributaries include the Salado, Leon and Calaveras Creeks, along with their numerous tertiary systems. The Medina River later joins the San Antonio River in the southeastern margins of the county.

Physiographically, the northern limits of the county are on, or adjacent to, the recharge zone of the Edwards Aquifer; local topography is reflective of the Texas Hill Country, characterized by prominent eroding limestone elevations and light, calcareous soil cover. Permanent water sources are few, but springs and intermittent drainage systems are interspersed throughout the region.

Elevations in northern Bexar County vary from ca. 1250 feet above mean sea level on hilltops to below 700 feet along drainage channels. Fawcett (1972) suggests two other physiographically distinct regions for the county: a transition zone just south of the Edwards Plateau and a southern zone located in the sandy soils of the Gulf Coastal Plain. The archaeological sites of the study area are located in the general northern transition zone. Elevations in the study area vary from 950 feet above msl in upland areas to ca. 870 feet along stream beds. Soils in the immediate vicinities generally consist of three distinct associations, although this does not reflect complexities caused by the local drainages in the forms of redepositions, erosion, alluviums, etc. Major soil associations include: Crawford-Bexar soils, moderately deep, stony soils over limestone; Tarrant-Brackett soils, shallow and very shallow soils over limestone; and Lewisville-Houston Black, terrace-associated, deep calcareous soils in oil alluvium (Taylor, Hailey and Richmond 1966).

Climate

The climate in Bexar County can be described as modified subtropical: mild in the winter and hot in the summer. Record high and low temperatures vary from 106° to 0°, while daily maximum and minimum averages are 79.2° and 58.1° (Taylor, Hailey and Richmond 1966). Precipitation is usually evenly distributed throughout the year, averaging 27.84 inches per year. Rain in the form of thunderstorms falls in all seasons except winter and often results in flooding of local waterways and low water areas (McGraw, Valdez and Cox 1977). North winds predominate during the winter and southeasterly Gulf winds predominate during the summer. The relative humidity normally ranges from 80% in the morning to ca. 50% by late afternoon. The period from the last spring freeze to the first freeze in fall averages 245 days (Taylor, Hailey and Richmond 1966).

Flora and Fauna

Salado Creek and its tributaries, within the study area, fall within the general transition zone of the Balconian and the Tamaulipan Biotic Provinces as described by Blair (1950). A discussion of the flora and fauna is beyond the scope of this report, although a detailed list of flora and fauna in the vicinity of the study area is presented in Tables 1 and 2 (Gerstle, Kelly and Assad 1978).

TABLE 1. SOME PAST AND PRESENT FLORA OF BEXAR COUNTY
Adapted from Gerstle, Kelly and Assad (1978)

Juniper (*Juniperus ashei*)
 Texas oak (*Quercus texana*)
 Live oak (*Quercus virginiana*)
 Pecan (*Carya illinoensis*)
 Cedar elm (*Ulmus crassifolia*)
 Cottonwood (*Populus deltoides*)
 Hackberry (*Celtis reticulata*)
 Mesquite (*Prosopis* sp.)
 Texas persimmon (*Diospyros texana*)
 Red buckeye (*Aesculus pavia*)
 Mountain laurel (*Sophora secundiflora*)
 Texas red bud (*Cercis texensis*)
 Whitebrush (*Aloysia ligustrina*)
 Huisache (*Acacia farnesiana*)
 Catclaw (*Acacia* sp.)
 Agarita (*Berberis trifoliolata*)
 Sumac (*Shus* sp.)
 Poison ivy (*Rubus toxicodendrum*)
 Blackberry (*Rubus trivialis*)
 Mustang grape (*Vitis mustangensis*)
 Sunflower (*Helianthus annuus*)
 Wild verbena (*Verbena bifinnatifida*)
 Twisted-leaf yucca (*Yucca rubicoides*)
 Spanish dagger (*Yucca treculeana*)
 Arkansas yucca (*Yucca arkansana*)
 Sotol (*Dasylixion texensis*)
 Prickly pear (*Opuntia lindheimeri*)
 Tasajillo (*Opuntia leptocaulis*)
 Buffalo grass (*Buchloe dactyloides*)
 Beargrass (*Nolina texana*)

TABLE 2. SOME PAST AND PRESENT FAUNA OF BEXAR COUNTY
Adapted from Gerstle, Kelly and Assad (1978)

Bison (<i>Bison bison</i>) # +
White-tailed deer (<i>Odocoileus virginianus</i>) #
Pronghorn antelope (<i>Antilocapra americana</i>) # +
Axis deer (<i>Axis axis</i>) o
Ocelot (<i>Felis pardalis</i>)
Cougar (<i>Felis concolor</i>)
Bobcat (<i>Lynx rufus</i>)
Coyote (<i>Canis latrans</i>) #
Raccoon (<i>Procyon lotor</i>) #
Opossum (<i>Didelphis virginiana</i>)
Gray fox (<i>Urocyon cinereoargenteus</i>)
Beaver (<i>Castor canadensis</i>)
Badger (<i>Taxidea taxus</i>)
Striped skunk (<i>Mephitis mephitis</i>)
California jackrabbit (<i>Lepus californicus</i>) #
Cottontail jackrabbit (<i>Sylvilagus floridanus</i>) #
Nine-banded armadillo (<i>Dasypus novemcinctus</i>) x
Eastern fox squirrel (<i>Sciurus niger</i>) #
Mexican ground squirrel (<i>Citellus mexicanus</i>) #
Pocket gopher (<i>Thomomys</i> sp.) # x
Plains pocket gopher (<i>Geomys bursarius</i>) #
Vole (<i>Microtus</i> sp.) #
Wood rat (<i>Neotoma</i> sp.) #
Cotton rat (<i>Sigmodon dispicus</i>) #
White-footed mouse (<i>Peromyscus</i> sp.) #
Pocket mouse (<i>Perognathus</i> sp.) #
Turkey (<i>Meleagris gallopavo</i>)
Bob-white quail (<i>Colinus virginianus</i>) # x
Mourning dove (<i>Aenaidura macroura</i>) #
Turkey vulture (<i>Cathartes aura</i>) #
Boat-tailed grackle (<i>Cassisis mexicanus</i>) #
Caracara (<i>Polyborus audoboni</i>) #
Western diamondback rattlesnake (<i>Crotalus atrox</i>)
Coral snake (<i>Micrurus fulvius</i>)
Copperhead (<i>Aghistrodon contortrix</i>)
Box turtle (<i>Terrapene carolina</i>)
Frog (<i>Rana</i> sp.) #

- # - In various northern Bexar County sites
- + - No longer in area
- o - Exotic species
- x - Invader species or recent introduction

Those readers interested in a more detailed account of the geology, soils, vegetation and faunal patterns in the area are referred to Blair (1950), Fawcett (1972), Scurlock and Hudson (1973), Taylor, Hailey and Richmond (1966), Carr (1969) and McGraw, Valdez and Cox (1977).

THE SITES

Floodwater Retarding Structure 3

The examination of Floodwater Retarding Structure 3 was concerned with the subsurface testing of two sites previously located in the proposed dam site area: the terrace site of 3-1 (41 BX 442) and the small, burned rock midden site of 3-3 (41 BX 444). The dam site area is located on the main channel of Salado Creek north of FM 1604 and about 1.6 miles west of the intersection with Military Highway. The horseshoe bend of the creek on which both sites are located is adjacent to a steep cliff that towers 50 to 60 m above the eastern bank of Salado Creek. The area is densely overgrown with *Juniperus ashei* and visibility in many areas is less than 15 m (Fig. 2).

Site 3-1 (41 BX 442)

The archaeological site of 3-1 had previously been identified as a limited lithic scatter, roughly 60 x 45 m in area, along a low stream terrace west of the horseshoe bend. After an intensive surface survey, the field team conducting the present test operation has concluded the lithic scatter extends 200 to 300 m west (away) from the bank of Salado Creek and northward (upstream) for about 300 m toward the archaeological site of 3-2 (41 BX 443). The intensive survey could not distinguish the boundaries of either site in the latter area, although specific concentrations of lithic materials were continuously noted. Present conclusions tentatively suggest the entire fossil flood plain and accompanying terraces throughout this region of the stream valley were extensively occupied in prehistoric times, and the archaeological sites of 3-1 and 3-3 are, for practical purposes, only a small, indistinguishable portion of the total extent of prehistoric activity in this locality. Because of the large area involved in this conception, it was decided to test only specific areas, as outlined in the preliminary report, which would be altered or destroyed by the construction of Floodwater Retarding Structure 3.

The low terrace originally defined as 3-1 was tested for a length of over 200 m along a north-south axis by a series of 50-cm² shovel tests spaced at 30-m intervals. To gain a better understanding of the extent of activity away from the creek bank and westward toward the upland slopes, four more 50-cm² units were excavated (see Fig. 3). Although the frequency of lithic debris in these latter test units decreased drastically, concurrent survey operations even further westward onto the slopes of the adjacent uplands revealed extensive quarrying activity surrounding the stream drainage, often as much as 1000 m or more away from the water source.

The total of 11 shovel test units along the terrace implies much erosion along the banks of the present channel. The only diagnostic projectile point at the

This page has been redacted because it contains restricted information.

This page has been redacted because it contains restricted information.

site has been identified as an Early Archaic *Nolan* dart point. This was found only 6 cm below the surface at Unit 3. Although a moderate lithic scatter was found throughout the tested area of 3-1, subsurface evidence suggests most of the material has been eroded and scattered. No features were noted and no further work is recommended at this site.

Site 3-3 (41 BX 444)

The archaeological site of 3-3 was originally described as a small burned rock midden about 0.5 m in height and 10 m in diameter. The midden is located approximately 80 m eastward from the horseshoe bend of Salado Creek and roughly 300 m north through dense brush from the base of the high cliffs as the stream channel turns eastward.

Intensive survey throughout this locality and downstream toward 41 BX 22, the Rogers site, suggests this small midden is part of a much larger activity area composed of an extensive lithic scatter. This runs the length of the north bank of the creek from the dam site area toward the large occupation site of 41 BX 22, 1.5 km downstream. The large scatter of lithic debris may have at least four distinct localities along the bank which indicate areas of concentrated activity. Careful surface examination indicates that the small midden is located in the immediate proximity of a large lithic debris concentration that covers the entire eastern section of the bend, at least 200 x 300 m. Because of the extent of the 3-3 activity area, 50-cm² shovel tests were primarily used to test three specific locations in and around the midden (see Fig. 4).

A total of seven 50-cm² shovel tests and a 1-m² test unit were excavated at the midden. Soils in all units included a dark gray to black organic, unconsolidated (but moist) loam extending to an average depth below the surface of 20 to 24 cm. Underlying this was a calcareous, lighter brown, compacted soil interspersed with cobble-sized limestone rocks. Artifacts and lithic debris recovered in all test units were found above this transition soil and usually within 12 to 15 cm of the surface. Only one diagnostic dart point was found during subsurface testing at the midden, although several other biface fragments were found in the same area during intensive surface survey operations (see Table 3). Frequency of most lithic debris recovered in the test units varied from light to moderate, although ST-14 (see Fig. 4) yielded five complete cores (10 to 18 cm in length) and seven large core fragments.

Eight other 50-cm² test units were excavated in two small clearings near the midden which, by subsurface indications, suggested possible occupation areas. Scattered biface fragments, numerous trimmed and/or utilized flakes and fire-reddened limestone rocks were found in this area. Subsurface examinations showed no cultural materials below a depth of 12 cm and a sterile, caliche-like strata at an average depth of 18 to 23 cm.

Subsurface testing in and around the area originally described as 3-3 revealed no significant deposits of prehistoric cultural materials. Much of the area contains little soil depth and many of the materials are exposed on the surface through erosion. No further work is recommended at the archaeological site of 3-3 because of the large area and the dense brush in the vicinity of the site; it is suggested, however, that an archaeologist be present if the proposed dam site construction necessitates the presence of heavy machinery in the site area.

This page has been redacted because it contains restricted information.

TABLE 3 PROVENIENCE OF LITHIC MATERIALS		BIFACES					UNIFACES		GOUGES - Bifacial	CORES			FLAKES			FRAGMENTS - Chunks	TOTAL	
		Quarry Blanks	Preforms	Dart Points	Untyped Point/Fragments	Other	Marginally Trimmed	Edge Utilization		Tools	Fragments	Complete	Primary	Secondary (Including single faceted)	Interior			
															Platform			Multi-faceted Platform
FLOODWATER - Retarding Structure 3	Site 3-1	50 cm ² Shovel Tests (0-20cm)		1								1	3	8			12	
		2											2	2		1	5	
		3		1									1	1	6		9	
		4				1									1		2	
		5												1	5		6	
		6	(Sterile)															
		7										1	8	6		5	21	
		8	(Sterile)															
		9													3		3	
		10														4	4	
			TOTALS			1	1	1					3	15	31		10	62
FLOODWATER - Retarding Structure 3	Site 3-3	50 cm ² Shovel Tests (0-20cm)		1										2	3	5		
		2											4	5	9			
		3			2								1	4	5	12		
		4											2	14	3	19		
		5											1		5	6		
		6												1	1	2		
		7														2	2	
		8													1	1		
		9				1				7					4		12	
		10									1		2	2		11	16	
		11											2	1		13	16	
		12				2	1				6				1	11	21	
		13									3						3	
		14			1	1	2				7	5			9	35	60	
		15														1	1	
	1 m ² Test Pit TP-1								1			2	4	6	13			
	Surface Collections			3	2	4		2							11			
	TOTALS			4	2	6	7	2	1	23	6	10	47	101	209			
FLOODWATER Retarding Structure 6	Site 6-1A	150 x 50 cm Trench A						1				15	35	28	1	22	102	
		1 x 2m Trench B			1						1		1	19	35	16	73	
		1 m ² TP-1												14	41	26	82	
		50 cm ² Shovel Tests (0-40cm)												1	7	10	18	
			1											3	14	11	10	39
			2												4	9	2	15
	3														2	15		
	TOTALS			1				1		6	17	93	134	1	76	329		
	Site 6-1B	1 m ² (0-40 cm) TP-1			2							2	94	270	4	55	427	
FLOODWATER Retarding Structure 10	Site 10-A & A-3*	1 x 2m TP-1											21	77	5	103		
		1 x 2m TP-2										10	7	10		27		
		1m ² TP-3								3	2		56	23	6	90		
		TOTALS								3	2		10	84	110	11	220	
FLOODWATER Retarding Structure 15	Site 10-3B & B-2	1m ² TP-1			(Sterile)													
		1 x 3m TP-2		1	1					1			4	21	26	7	61	
		Area 10m ²						1				8	2	3	2	7	2	25
		Area A												1	10		15	
		Area B			1						3	4		3	10	2	23	
		Area C		1				1							1		3	
	Area D	1				2			1			1			5			
	TOTALS	2	1			2	2		4	16	2	8	23	9	2	71		

*All shovel tests (5) at this site were sterile.

Floodwater Retarding Structure 6

As discussed in Hester *et al.* (1974), the construction site for this floodwater retarding structure is located on Panther Springs Creek about 1.5 km south of FM 1604 and 68 m east of Blanco Road. The flood basin for the project will partially encompass margins of Fairway 7 of the Canyon Creek Country Club Golf Course and the terrace site of 6-2 (41 BX 363). The western edge of the project area is a prominent limestone bluff roughly 10 to 15 m in height and immediately adjacent to the dry, boulder-strewn stream bed of Panther Springs Creek. Within this eroded bluff face and in the approximate center along the length of the bluff are the rockshelter sites of 6-1A and 6-1B (41 BX 362) (Fig. 5).

Rockshelter 6-1 (Shelter A) (41 BX 362)

Shelter A is located about 4 m above and adjacent to the west bank of Panther Springs Creek. The shelter is composed of several small, eroded cavities in the porous limestone bluff and consists primarily of two rooms separated by large boulders and rubble from past rock fall. Within the shelter, three small tunnels lead into small, rubble-filled cavities.

Subsurface examination of the rockshelter was conducted through the use of three 50-cm² shovel tests at 3-meter intervals along the talus slope, a 50 x 150 cm trench (Trench A) in the narrow confines of the southern room, and by 1-m² (TP-1) and 1 x 2 m pits (Trench B) in the slightly larger northern room. To establish a correlation of excavated depths between the separate rooms, a line and level were strung from the surface at the southwest corner stake of Test Pit 1 in the northern room to a point 121.5 cm above the floor and the northwest corner stake at Trench A in the southern room (see Fig. 6).

Trench A

Due to natural irregularities in the shelter floor, subsurface examinations in the small southern room took the form of a 150 x 50 cm trench in a shallow soil deposit. Although bedrock-like limestone below 38 cm precluded further testing, materials excavated by trowels and screened through 1/8-inch fine wire mesh suggested the test area had been highly disturbed. While lithic debris was limited to a moderate scatter from the surface to 20 cm, a small plastic bag and other recent refuse were found just above limestone at 30 cm. Soils to the level of the presumed bedrock were identified in the field as an unconsolidated fine-grained, dark gray humus at the surface to a thin, lighter, calcareous transition just above the limestone. No diagnostic artifacts were found at any level during the trench examination. A small number of unidentified rodent bones were recovered scattered throughout the horizontal levels.

Test Pit 1

Test Pit 1 in the main shelter area was excavated as a 1-m² just behind the large boulders partially blocking the entrance to the northern shelter area. As the testing progressed, it became obvious this pit area had been moderately to extensively damaged by recent disturbance. Modern trash in the form of glass and plastic was noted to depths exceeding 20 cm, and, although small charred wood fragments and lithic debris were also found, they were intermingled with cigarette filters and cellophane. A change in soil compactness occurred

This page has been redacted because it contains restricted information.

This page has been redacted because it contains restricted information.

below 15 cm of the surface, and a small, curvilinear ash lens was exposed in the north wall of the test pit. While several chert flakes were in close association with this lens, no direct relationships could be identified. Several fragmentary, scattered and burned vertebrae and tarsal-like bones were found below the lens to a depth of almost 40 cm. Frequency of lithic debris declined with an increase in depth, although a large chert core fragment was exposed in an apparently undisturbed context at 37 cm. No diagnostic or finished artifacts were noted, and activity of this test pit ended at about 40 cm as a large limestone shelf, or possibly a portion of the bedrock floor, was exposed (see Fig. 7).

Trench B

On the basis of information gathered from Trench A and Test Pit 1, a third 1-m² (later expanded to 1 x 2 m trench) was excavated toward the rear of the main shelter area and away from the previously disturbed areas. Excavation by trowel revealed stratified deposits to a depth exceeding 40 cm. Three distinct soil zones were noted at depths of 11, 25 and 46 cm below surface (see Fig. 8). Excavations in this area were concluded at 46 cm due to the presence of a large limestone shelf extending across the floor of the pit.

Archaeological evidence consisted of a moderate scattering of lithic debris between 0 to 8 cm and within a soil transition zone (dark gray, organic soil to a yellowish orange, deteriorating limestone) at about 15 to 25 cm (see Fig. 8). An untyped, stemmed dart point, 4 cm in length, was recovered from this latter zone. Made from fine-grained, light brown chert, attributes of the point included parallel flaking and ground basal edges, suggesting possible Late Paleo-Indian affinity.

A preliminary analysis of artifacts and lithic debris from the rockshelter implies two prehistoric periods of light to moderate activity. The earlier occupation can be identified by the occurrence of a moderate lithic scatter just above presumed bedrock in Trench B and in somewhat questionable association with an ash lens at 20 to 30 cm in Test Pit 1. Lithic debris in the form of interior flakes and chips was lightly to moderately patinated in both areas. A second period of occupancy is suggested by a series of secondary and interior flakes at or just below the surface.

Rockshelter 6-1 (Shelter B)

A second rockshelter was discovered during a casual reconnaissance in the vicinity of 6-1. Not previously identified, the second shelter was designated 6-1, Rockshelter B in the field. Rockshelter B is located approximately 40 m northward along the bluff face from Shelter A and is situated 8 m above the now dry creek bed. Only 4 x 3 m in length and width, the shelter nonetheless offers a limited amount of protection from the elements (Fig. 9). A 1-m² pit was excavated to a depth of 35 cm in the northern corner of the shelter, revealing a high frequency of primary, secondary and tertiary flakes from 0 to 20 cm. Utilized flakes, preform-like biface fragments and a crude biface fragment were recovered. Although only a limited examination was conducted at the site, the frequency and depth of artifacts suggest a potential for further excavation in order to evaluate the nature of prehistoric activity at the site.







Figure 7. Profile of North Wall of TP-1, Rockshelter 6-1A (41BX 362).



ORGANIC SOIL
MEDIUM TO DARK GRAY, POWDERY



DETERIORATING LIMESTONE
YELLOW-ORANGE CALCAREOUS



TRANSITION ZONE
COMPACTED, MEDIUM TO LIGHT GRAY



PRESUMED BEDROCK
LIMESTONE

Figure 8. Profile of South Wall Section of Trench B, Rockshelter 6-1A (41 BX 362).




Figure 9. Rockshelter 6-1B (41 BX 362).

Site 6-2 (41 BX 363)

First discovered in the preliminary survey of Panther Springs Creek in 1974, this terrace site was identified as an extensive scatter of burned rock and chert along the lower western and southwestern edges of Fairway 7 of the Canyon Creek Country Club Golf Course. Observations suggested the site to be 25 x 75 m with possible hearths and some potential for depth (Fig. 10).

Present investigations in the form of an intensive survey and a series of 50-cm² shovel/trowel tests along the entire length of the site have revised the estimates of the original site. The survey redefined the site boundaries to about 150 x 425 m, or running the length of the terrace adjacent to the steep bluff face and Panther Springs Creek. No concentrations or possible hearths were noted, although several areas suggested chert quarrying activities. A systematic series of shovel tests spaced at 10-m intervals was imposed over the largest of these quarry-like areas. In all shovel tests, limestone bedrock was reached within 30 cm. A shallow, calcareous soil, dark to medium gray in color, extended to an average depth of 15 cm below the surface, where a reddish orange transition soil zone was found just above the limestone. In all cases, lithic debris was limited to the upper 8 cm. No diagnostic artifacts were found through subsurface testing, although several crude, large biface fragments were found during intensive survey operations. To obtain the widest perspective possible of the entire site area and due to the lack of both artifacts and concentrations, five other 50-cm² test pits were established on a north-south axis at 50 m intervals to search for any additional evidence of former aboriginal activities. No diagnostic artifacts were found and only a few pieces of lithic debris were noted during this phase of operations.

On the basis of intensive survey and limited testing operations, the original site description and size estimates for 6-2 have been modified as follows: it is a deflated quarry-workshop/terrace site with dimensions of ca. 150 x 450 meters. Whether the site once extended eastward from the slopes to the now heavily disturbed uplands of Fairway 7 cannot be accurately determined, although the continuation of lithic debris onto the margins of the golf course suggests this. The site area not altered by modification for golfing facilities seems heavily deflated by natural erosion. No further work is recommended at this site.

Floodwater Retarding Structure 10

An attempt to relocate the previously identified rockshelter known as site 10-3 (41 BX 452) along Mud Creek has led to the re-evaluation of the site as a whole. Originally described in the preliminary survey report as a small rockshelter located in the bluff above the northern bank of Mud Creek (roughly 400 m from the intersection of the creek with Jones Maltsberger Road), the site is actually composed of two rockshelter complexes about 40 m apart. The shelter complexes, designated as "A" and "B," are composed of three and two small shelters, respectively. Complex A is located in the immediate vicinity of large utility power lines as they intersect this portion of Mud Creek, and Complex B is around 40 m southeast along the dry drainage channel (see Fig. 11).




Figure 10. Map of Test Units at Site 6-2 (41 BX 363).

This page has been redacted because it contains restricted information.

Rockshelter Complex A

Complex A consists of three small adjacent shelters (designated A-1, A-2 and A-3) located 3 to 5 m above the stream bed. The smallest of these is barely large enough to stand upright in, while the largest is 11 x 9.5 m in length and width with an opening height of at least 10 m (see Fig. 12). Shelters A-1 and A-2 had small openings with no evident talus slopes. One-m² test pits were excavated in each shelter to depths of more than 40 cm. No lithic debris or any other evidence of former occupation was noted at any level.


Rockshelter A-3 received intensive testing activity because of its attractive occupational features: spacious physical dimensions, accessibility to former water resources and protection from the elements. The interior of the shelter, where it had not been disturbed by previous rock falls, was almost completely excavated by trenches, 1-m² pits and a series of shovel tests (Fig. 13). Complete excavation of the small rockshelter was seriously limited by scattered, large sections of collapsed limestone from the ceiling. Small rodent and possible deer bones were scattered throughout the shelter, and a moderate scatter of lithic debris was found to a depth of approximately 20 cm in all test pits and trenches. Buried ash lenses were uncovered in TP-1 and TP-3, in association with lithic debris, suggesting moderate occupational activity. A heavily disturbed area about 1 m in diameter, presumably a relic collector's pit, was noted in the southern entrance of the shelter. A 50-cm² shovel test, later expanded into TP-3 (1-m²), produced an intense concentration of lithic debris to a depth of 38 cm; unfortunately, evidence of modern disturbance was noted through most of this depth. No diagnostic artifacts were noted in any of the subsurface examinations at any depth.

The results of test pits and shovel tests suggest the rockshelter was a moderately occupied prehistoric activity center reflecting specific areas for intrasite activities; two ash lenses, one at the entrance of the shelter and the other at the rear, suggest possible campfires, although no temporal conclusions can be drawn between or from them. An intense area of lithic reduction activities was identified in the southern entrance area. No other area of the shelter reflected such specific or intensive activity, although portions of collapsed limestone from the ceiling may hide further aboriginal deposits. No further work is recommended at this site.


Rockshelter Complex B

Rockshelter Complex B consisted of two small shelters, designated in the field as B-1 and B-2. B-1, a shallow linear shelter 16 x 10 m, was tested by a systematic series of 50-cm² shovel tests. All test areas were tested to bedrock and were sterile. It is possible the large amounts of powdery limestone dust accumulating on the floors imply rapid deterioration or collapsing of the shelter roof.

B-2 (Fig. 14) was a smaller shelter adjacent to B-1, and a 1-m² test pit inside the 4 x 6 m cavity revealed less than 5 cm of soil deposits over presumed bedrock or a large limestone shelf covering the floor of the cavity. A 1 x 3 trench on the talus slope, 8 m in front of the entrance, uncovered one of the most



a



b

Figure 12. Rockshelter Complex 10-3A (41 BX 452). a, elevations of the three shelters in Complex A (A-1, A-2, A-3); b, view of entrance to Rockshelter A-3.




Figure 13. Map of Test Units at Rockshelter A-3, Complex 10-3A (41 BX 452).




Figure 14. *View of Rockshelter B-2, Complex 10-3B, Looking North.*

intensive concentrations of lithic debris found in any pit during the entire testing operation. Utilized flakes, unifacial end scrapers and a preform-like biface were scattered among the relatively large collection of chips and flakes. Because of time limitations, no further work was done to expand the investigation of this previously unrecorded shelter. The frequency and depth of lithic debris and artifacts suggest a potential for further research of the shelter entrance and talus slope to define the intensity and extent of this unusual site.

Floodwater Retarding Structure 15

Floodwater Retarding Structure 15 and the archaeological site of 15-3 (41 BX 173) are located adjacent to the eastern exit road of Northeast Preserve and its junction with the intermittently running stream channel of Mud Creek. The site extends along and away from a high terrace of Mud Creek in the northeast section of the park. Results of an intensive survey suggest site dimensions as large as 375 x 250 m, most of this composed of a lithic scatter derived from light to moderate quarrying/workshop activities. No diagnostic artifacts were noted throughout this area other than several widely scattered crude biface fragments and gouge-like tools. The present site boundaries include Mud Creek to the west, a plowed field to the north, large utility power lines to the east and an exit road to the park in the south (see Fig. 15). Large cores collected from the field south of the road suggest the original site dimensions may have been much larger than presently observed, although the archaeological value of this southern area has been completely destroyed by modern alterations.

The large areal extent of the site and dense brush complicated the intensive survey operations. No concentrations of diagnostic projectile points were recovered, although several *Clear Fork* and *Guadalupe*-like tools were observed in the northwest margins of the site along gullies and eroded run-offs, suggesting a possibility for further research in the form of limited subsurface testing to determine their significance.

A 10-m² area, arbitrarily chosen in the center of the study area, became the focus of a controlled surface collection operation to determine the actual number and types of lithic debris to be found on the surface of the study area (Fig. 16). The collected area did not reflect any difference in features or special characteristics; rather, the collection area was seemingly indistinguishable both in frequency and types of artifacts and debris from the rest of the site area.

It must be realized that the data from such a sample does not provide an unbiased sample of the total lithic materials present, and the limitations and selection of the sample are in general inadequate and inappropriate for a more detailed quantitative approach. The current collection, however, was considered adequate for the type of evaluative operation involved in this project. Investigation of 15-3 was severely limited in both time and manpower, making it impossible to spend the necessary effort to choose and research a sufficient portion of the site from which to derive statistically reliable data. Rather than selecting an area haphazardly, the investigators' past experience and their familiarity with quarry/workshop sites were used to choose, via a

This page has been redacted because it contains restricted information.




Figure 16. Site 15-3 (41 BX 173). Plan of controlled surface collections within a 10-m² area.

"judgment sample," an area for study. Past research shows that while this design should not be construed as an accurate statistical approximation of the total lithic material, it can be of considerable value (Redman 1974).

A redefinition of site 15-3 suggests the site was once a quarry/workshop zone extending from 400 to 600 m along the eastern terrace of Mud Creek and at least 250 m away from it. Prehistoric activity in the area is extensive rather than intensive and no major concentrations or features were noted. Further evidence of site activity may be hidden beneath a light soil cover, especially evidence of occupation in the northwest margins of the site area. Intensive surface survey operations in this area observed fire-reddened rocks that appeared to be eroding along the slopes. We recommend limited testing in the form of 1-m² and 50-cm² shovel tests in this potential occupation area to define the extent, depth and spatial relationships, and to permit an evaluation of National Register eligibility.

LITHIC ANALYSIS

This study will attempt only a preliminary examination of the lithic materials collected throughout the field operations. Distinctive attributes of major artifact and debris categories will be noted as to provenience and frequency, and a brief description will define each category. Summary statistics of lithic data are presented in Table 3. Additional descriptions, statistical data and collected materials are also on file at the Center for Archaeological Research, The University of Texas at San Antonio.

For purposes of this study, many artifact and debris categories can be defined on the degree and type of retouch. Retouch in this analysis generally refers to the detachment of small flakes from a point or tool for the purpose of edge alteration, resharpening or strengthening. The result of this action is flake scars on dorsal or ventral ends or sides of the material. This section has divided the materials into two general groups: (1) cores and lithic debris and (2) unifacial and bifacial artifacts. Examples of artifacts collected are presented in Figures 17 and 18.

Cores and Lithic Debris

A total of 59 cores and core fragments and 645 pieces of lithic debris were recovered from the testing operations. These materials have been separated into cores, core fragments, core tools and expended cores. Lithic debris refers to primary, secondary and tertiary (interior) flakes and miscellaneous chips or chunks.

Cores

Cores are pieces of siliceous stone used as raw material for various types of lithic reduction processes. They often exhibit at least one flat surface from which one or more pieces (flakes) have been detached and do not exhibit any bulbs of percussion. The subcategory of core tools is described as still




Figure 17. Artifacts from Floodwater Retarding Structures 3 and 6. a, unclassified dart point (Rockshelter 6-1A, Trench B); b, Nolan dart point (3-1, Shovel Test 3); c, e, corner-notched dart points; d, *Martindale*; f-i, preforms; j, gouge-like unifacial tool; k, ovate biface with extensive dorsal retouch (c-k, 3-3, surface); l, m, unclassified projectile points (3-3, Shovel Test 7).




Figure 18. *Artifacts from Floodwater Retarding Structures 6, 10 and 15.*
 a, preform (Rockshelter 6-1B, Test Pit 1); b, preform (15-3, Area B);
 c, distal biface fragment (10-3B, Shelter B-2); d, core tool (15-3, Area B);
 e, ovate biface (15-3, surface); f, unifacial gouge (15-3, Area C).

identifiable cores which reflect marginal retouch modification or wear (observable alteration caused by utilization) along portions of edge surfaces.

Lithic Debris

Debris in the form of small pieces or flakes detached from a core often reflects both the type of lithic reduction technique and the extent of the reduction process. Through the examination of various attributes, a single piece of debris can be associated with one of a series of sequential stages of tool manufacture, and extended research can often discern the overall strategy of manufacture. For the purposes of this report, debris in the form of flakes has been divided into three general types based on the absence or presence and degree of exterior (cortex) surface: (1) primary flakes with cortex covering their dorsal surface; (2) secondary flakes, with some cortex; and (3) interior (tertiary) flakes that have no cortex on their dorsal surface. Flakes exhibit various types and sizes of platforms, remnants of the original striking platform of the core from which the flake was detached. Table 3 reflects one attribute of flake platforms in the form of single platforms or multi-faceted platforms. Multi-faceted platforms exhibit small scars as a function of prior retouch to build a prepared platform.

Unifacial and Bifacial Artifacts

These artifacts reflect trimming or utilization on dorsal and/or ventral surfaces and may be grouped into such categories as scrapers, gouge-like tools, projectile points and other thicker bifaces. The term uniface may apply to any non-formalized unifacially worked tool. Other categories briefly described include:

Scrapers

Scrapers may exhibit either unifacial or bifacial modifications, and steep retouch and wear patterns are often common along sides and/or edges in the form of step fractures and/or polish.

Gouge-like Tools

Gouge-like artifacts can be considered a specialized tool form as discussed by Epstein (1969) and Hester and Kohnitz (1975). They may be unifacial or bifacial and rectangular or triangular in form.

Projectile Points

Projectile points are thin, bifacially worked artifacts, presumably for use as dart or arrow points. In most cases basal modification has been in the form of corner or laterally-situated notches which result in distinctive stems.

Other Bifaces

Other bifaces in this study were sorted into one general category. These artifacts are usually cruder and thicker in workmanship than the thinner projectile points and encompass such groups as preforms, quarry blanks and large knife-like bifacial tools. Unfinished bifaces often reveal specific phases of tool manufacture and types of former site workshop activity.

SUMMARY AND RECOMMENDATIONS

In general terms, all the sites investigated during the course of this study fall into Fawcett's (1972) "Northern Zone" characterized by intermittent water resources, upland chert sources and a presumed prehistoric emphasis on hunting (vs. riverine) subsistence. Of the two types of sites studied, terrace and rockshelter, the former is the more common throughout the area. The terrace sites investigated during current examinations were always hundreds of meters in length and may be more specifically considered as aboriginal activity areas with wide spatial and temporal characteristics. The most intensively investigated terrace site was located in the vicinity of Floodwater Retarding Structure 3, and these brief observations may be generally applied to other terrace sites examined.

The intensive activity reflected on the surface in the vicinity of 3-3 and along the terrace site of 3-1 suggests the entire stream valley in this locality, rather than being a single site area, was a preferred activity zone encompassing various prehistoric interests and not limited to simple quarry/workshop processes. Gerstle, Kelly and Assad (1978) suggest the five sites previously recorded in the area of Floodwater Retarding Structure 3 may actually be small satellite localities from the major occupation site of 41 BX 22, the Rogers site, roughly 800 to 1000 m downstream. While this may in part explain the intense activity, there is no substantiated evidence to support this hypothesis, and it may be the area was exploited not only by the peoples of 41 BX 22 but also by those from the temporally distinct large site of 41 BX 36 located upstream. Nolan and Martindale projectile points recovered in subsurface testing of the area can be more reasonably linked to the Early Archaic occupations of 41 BX 36.

Interest southward from 41 BX 36 toward the dam site area can partially be explained by the absence of chert-bearing strata north of 41 BX 36 and the abundance of the same just southward. Unfortunately, the natural concentration of upland chert sources does not explain lower terrace activities along the drainage at which both the Nolan and Martindale points were recovered. Gerstle, Kelly and Assad (1978) tentatively suggest chert exploitation may have shifted in Early Archaic times along this area of the drainage, emphasizing resource exploitation in the lowland areas. Whatever the reasons, during Nolan and Martindale culturally affiliated periods, the lowland resources of this stream valley were obviously exploited. A further discussion of settlement patterns and lithic studies from the sites of the current study is beyond the present scope of the report, although it may be extracted from this study at a later date. It should be noted Hester (1976) emphasizes several characteristics of Archaic occupations in south Texas that are often

reflected in the study area of the Salado Creek drainage: (1) the heterogeneity of aboriginal settlement patterns from one drainage to another, perhaps due to temporal differences but which may reflect adaptations to local environmental conditions; (2) an emphasis on placing sites within access to several micro-environments; (3) intrasite planning; and (4) the functional differences of sites.

In the course of present investigations along the Salado Creek drainage, two rockshelters, two rockshelter complexes and a total of four terrace sites were tested at Floodwater Retarding Structures 3, 6, 10 and 15. The results of these tests are summarized in Table 4. Four individual sites are recommended for further examination and their archaeological importance is discussed below.

Site 6-1 (41 BX 362)

Rockshelters 6-1A and 6-1B; further examination for complete excavation by 1-m² and 50-cm² units.

The writers recognize that the rockshelter sites of 6-1 lie outside the jurisdiction of the Soil Conservation Service because of (1) the sites' elevations above the planned maximum flood pool level (913.9 ft.) and (2) the sites' location on private property. Therefore, recommendations cannot be made that are applicable to any particular agency or individuals. However, these sites are included in Table 4 because of their potential importance to Bexar County prehistory and to point out the value of these rockshelters in further problem-oriented studies of south central Texas archaeology.

Site 10-3 (41 BX 452)

Rockshelter B-2 of rockshelter complex 10-3B; extensive testing of talus slope and the area of B-2 to further determine the significance of the deposits.

Site 15-3 (41 BX 173)

We recommend limited subsurface examination of this extensive terrace site at specific points to determine the depth and extent of deposits before destruction or alteration occurs. The unusually large site area possibly includes prehistoric lithic workshop activity and buried occupational deposits.

Because of time limitations under which field operations were conducted at this extensive site, the researchers were not able to adequately determine whether or not 41 BX 173 may be considered eligible for nomination to the National Register of Historic Places. A program of additional limited testing is recommended to determine the overall significance of this site.

A summary of this testing operation cannot be complete without a brief comment on the significance of the three small rockshelters recommended for further study. The importance of these sites can best be understood by approaching them from the perspective of south central Texas archaeology generally, and the archaeology of the Edwards Plateau/Coastal Plains transitional zone specifically.

Unfortunately, for a variety of reasons, the role of the rockshelter during these times is little understood in relation to changing environmental conditions, aboriginal social structures, subsistence patterns or intrasite planning. Small, minimally disturbed shelters reflecting prehistoric activities are an unwritten record from which to better understand aboriginal lifeways. Rockshelters in Bexar County as a whole have been little explored and, consequently, little understood. They have, however, been subjected to much disturbance by relic collectors, campers and vandals. The appearance of such resources, as in the current investigations at Panther and Mud Creeks along the Salado drainage, should shed new light on this facet of prehistoric occupation activities.

TABLE 4. SITE INFORMATION SUMMARIES

Site #	Type of Site	Approximate Elevation (msl)	Horizontal Extent (m)	Drainage System	Distance From Water Source (m)		Observed/Excavated Material	Archaeological Potential (Site Condition)	Description of Further Work Needed	Comments
					(V)	(H)				
3-1	Extensive terrace, workshop, possible occupation	980-1010'	(minimum of) 250 x 300	Salado Creek (main channel)	2-10	5-1000	Extensive lithic debris throughout area, artifacts include biface fragments, burned rock.	See text.	No further work.	See text.
3-3	Small burned rock midden and adjacent terrace activity areas	970-1010'	(minimum of) 200 x 300	Salado Creek (main channel)	3-5	0-300	Burned rock, extensive lithic debris, biface fragments.	See text.	No further work.	Although no work is recommended, it is suggested an archaeologist be present if subsurface alteration occurs in the form of land moving or borrow-fill.
6-1*	Rockshelter (A)	935'	12 x 14	Panther Springs Creek (now dry)	8	3	Dart point, extensive lithic debris; possible hearth.	Site reflects moderate disturbance in upper 10-cm level; however, depth of artifacts exceeds 25 cm.	Continuation of shelter excavation by 1-m ² test pits to bedrock for a better perspective of a Late Paleo/Pre-Archaic occupation.	Total occupational area is small and further work for complete excavation is relatively modest.
6-1*	Rockshelter (B)	935'	4 x 3	Panther Springs Creek (now dry)	8	2	Preform; extensive lithic debris.	Shelter is moderately disturbed, upper 10 cm; unusual frequency of subsurface artifacts suggests potential for further investigation.	Continuation of 1-m ² test pits for total excavation of 4 x 3 m shelter.	
6-2	Terrace, moderate quarry/workshop activities	900-920'	450 x 150	Panther Springs Creek (now dry)	0-150	0-3/	Extensive lithic debris over wide area; core fragments; primary, secondary, tertiary flakes.	Eastern edge of site destroyed by modern alteration.	No further work.	Depth and frequency of excavated artifacts are minimal.
10-3	Rockshelter Complex A (3 small, adjacent shelters)	850'	See text.	Mud Creek (now dry)	5	0-2	A light to moderate scattering of lithic debris in each of the 3 shelters; and a concentrated area of workshop activity in shelter A-3.	Although the complex is only lightly disturbed, frequency of archaeological artifacts is light. The only area of potential, shelter A-3, was extensively tested.	No further work.	
10-3	Rockshelter Complex B (2 adjacent shelters)	840'	See text.	Mud Creek (now dry)	3-4	2-3	Shelters B-1 and B-2 show a very light activity area; the excavations on talus slope of B-2 revealed a heavy concentration of biface fragments, primary, secondary and tertiary flakes.	The depth and frequency of artifacts recovered from a limited area on the talus of B-2 warrant further excavation in and around shelter B-2 to further determine the significance of the deposits.	50-cm ² and 1-m ² test pits in and around Rockshelter B-2.	Total area required for complete excavation and/or intensive testing of the 4 x 6 m shelter is limited.
15-3	Terrace, workshop site	760-775'	375 x 250	Mud Creek (now dry)	3-4	0-250	Extensive scatter of lithic debris in wide area.	A scattering of burned rocks was observed eroding from a concentrated area and lithic debris in the NW sector.	Limited testing and excavation to determine depth and extent.	

*Beyond the jurisdiction of the SCS. See Summary and Recommendations.

REFERENCES CITED

Blair, W. F.

1950 The Biotic Provinces of Texas. *Texas Journal of Science* 2(1):93-116.

Brown, D., P. Lukowski, T. R. Hester and J. Eaton

1977 Archaeological Assessment of Two Sites in the Vicinity of Floodwater Retarding Structure No. 11, Salado Creek Watershed, Bexar County, Texas. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 35.*

Carr, J. T., Jr.

1969 The Climate and Physiography of Texas. *Texas Water Development Board, Report 53.*

Epstein, J. F.

1969 The San Isidro Site: An Early Man Campsite in Nuevo Leon, Mexico. *Department of Anthropology, The University of Texas at Austin, Anthropology Series 7.*

Fawcett, W. B., Jr.

1972 The Prehistory of Bexar County: A Study of Previous Work in South Central Texas. *Bulletin, Lower Plains Archaeological Society 2 (for 1971).*

Fox, A. A.

1977 An Archaeological Assessment of the San Antonio 201 Wastewater Treatment Project. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 41.*

Gerstle, A., T. C. Kelly and C. Assad

1978 The Fort Sam Houston Project: An Archaeological and Historical Assessment. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 40.*

Hester, T. R.

1975 Archaeological and Historical Resources in the San Antonio-Guadalupe River Basins: A Preliminary Statement. *Center for Archaeological Research, The University of Texas at San Antonio, Regional Studies 1.*

- 1976 The Archaic of Southern Texas. In: *The Texas Archaic: A Symposium* (T. R. Hester, ed.). *Center for Archaeological Research, The University of Texas at San Antonio, Special Report 2:83-88.*
- 1978 *Early Human Occupation in South Central and Southwestern Texas: Preliminary Papers on the Baker Cave and St. Mary's Hall Sites.* Center for Archaeological Research, The University of Texas at San Antonio.
- Hester, T. R. and H. Kohnitz
- 1975 The Chronological Placement of Guadalupe Tools. *La Tierra 2(2):22-25.*
- Hester, T. R., R. F. Heizer and J. A. Graham
- 1975 *Field Methods in Archaeology*, 6th Edition. Mayfield Publishing Company, Palo Alto, California.
- Hester, T. R., F. A. Bass and T. C. Kelly
- 1975 Archaeological Survey of Portions of the Comal River Watershed, Comal County, Texas. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 6.*
- Hester, T. R., F. A. Bass, Jr., A. A. Fox, T. C. Kelly, M. F. Chadderdon and E. S. Harris
- 1974 Archaeological Survey of Areas Proposed for Modification in the Salado Creek Watershed, Bexar County, Texas. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 3.*
- Hudson, W. R., Jr., W. M. Lynn and D. Scurlock
- 1974 Walker Ranch, An Archaeological Reconnaissance and Excavations in Northern Bexar County, Texas. *Texas Historical Commission, Report 26.*
- Jaquier, J. A., T. R. Hester, F. Valdez, Jr., A. J. McGraw and I. W. Cox
- 1978 Archaeological Test Excavations at Site 41 BX 228, Walker Ranch, Bexar County, Texas. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 46.*
- McGraw, A., F. Valdez, Jr. and W. Cox
- 1977 An Archaeological Survey of Areas Proposed for Modification in the Encino Park Development, Northern Bexar County, Texas. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 39.*

McGraw, A. J. and F. Valdez, Jr.

- 1977 A Preliminary Assessment of Archaeological Resources at Tobins Oakwell Farm, San Antonio, Texas. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 43.*

Redman, C. L.

- 1974 Archaeological Sampling Strategies. *Addison-Wesley Modules in Anthropology 55.*

Schuetz, M. K.

- 1966 The Granberg Site: An Archaic Indian Habitation in Bexar County, Texas. *Witte Museum Studies 1.* San Antonio.

Scurlock, D. and W. R. Hudson

- 1973 *An Archaeological Investigation of Walker Ranch.* Texas Historical Commission, Austin.

Sollberger, J. B. and T. R. Hester

- 1972 The Strohacker Site: A Review of Pre-Archaic Manifestations in Texas. *Plains Anthropologist 17(58):326-344.*

Smith, H. P., Jr., and K. McDonald

- 1975 An Archaeological Survey of Friedrich Park, Bexar County, Texas. *Center for Archaeological Research, The University of Texas at San Antonio, Archaeological Survey Report 12.*

Taylor, F. B., R. B. Hailey and D. L. Richmond

- 1966 *Soil Survey of Bexar County, Texas.* U. S. Department of Agriculture, Soil Conservation Service, Series 1962.